


د س و ف خ ل د ی ر ه س ر س ر ل م ر ع د س ر ا ح م م م

[illegible]

دَاسَرْدَی دَی دَسَوَرِ سَمَوَرِ دَرْدَرِ دَرْدَرِ - دَسَوَرِ
دَسَوَرِ دَسَوَرِ دَسَوَرِ دَرْدَرِ دَرْدَرِ

وَلَمْ يَلْحَقُوا بِهِ



وَقَدْ كَرِهَ الْغَافِقُونَ إِذْ يُسَمَّرُ دُونَهمْ وَأَنْهُمْ يُؤْخَذُونَ
وَقَدْ كَرِهَ الْغَافِقُونَ إِذْ يُسَمَّرُ دُونَهمْ وَأَنْهُمْ يُؤْخَذُونَ

دَیْ تَحْرِقُ - دَسُو فَعْلَا دَیْ رِغْ اَرْسَرْتِر سَمَوْر تَحْرِقُ.

1.5

اَعر 2 عَواصِرٌ قَرَحَتِ اَعرَصَ مَوخِجٌ مَرَحَتِ اَسْرَفَ

ددرسر رادر ددر هدر سر ددر



DRS6A X-Class



DRS12A X-Class






DRS25A X-Class

Antenna	XN10A : 1016 mm (3'5) XN12A : 1255 mm (4') XN13A : 1795 mm (6')		XN12A : 1255 mm (4') XN13A : 1795 mm (6')
Peak Output Power	6kW	12kW	25kW
Antenna Rotation Speed	24/36/48 rpm range coupled or 24 rpm fixed		

<https://www.furunousa.com/en/products/>

تکرار تکرار تکرار تکرار تکرار تکرار



تصوير على سطح خارجي



تصوير على سطح خارجي
تصوير على سطح خارجي

تصوير على سطح خارجي
تصوير على سطح خارجي

تصوير على سطح خارجي
تصوير على سطح خارجي

مَنْ مَرَّ بِمَرْجٍ مَرْجَعٍ ۖ
 ۚ فَوَجَّعَ (أَمْرًا زَرْعًا ۖ مَرْجَعًا) ۚ مَرْجَعًا

سَاسِرْدُ خِرْدُ

معرف

ما سرِّ قُرْبَى سرِّ قُرْبَى سرِّ قُرْبَى سرِّ قُرْبَى سرِّ قُرْبَى

500,000 $\frac{1}{2}$ $\frac{1}{4}$ $\frac{1}{8}$ $\frac{1}{16}$ $\frac{1}{32}$ $\frac{1}{64}$ $\frac{1}{128}$ $\frac{1}{256}$ $\frac{1}{512}$ $\frac{1}{1024}$ $\frac{1}{2048}$ $\frac{1}{4096}$ $\frac{1}{8192}$ $\frac{1}{16384}$ $\frac{1}{32768}$ $\frac{1}{65536}$ $\frac{1}{131072}$ $\frac{1}{262144}$ $\frac{1}{524288}$ $\frac{1}{1048576}$ $\frac{1}{2097152}$ $\frac{1}{4194304}$ $\frac{1}{8388608}$ $\frac{1}{16777216}$ $\frac{1}{33554432}$ $\frac{1}{67108864}$ $\frac{1}{134217728}$ $\frac{1}{268435456}$ $\frac{1}{536870912}$ $\frac{1}{1073741824}$ $\frac{1}{2147483648}$ $\frac{1}{4294967296}$ $\frac{1}{8589934592}$ $\frac{1}{17179869184}$ $\frac{1}{34359738368}$ $\frac{1}{68719476736}$ $\frac{1}{137438953472}$ $\frac{1}{274877906944}$ $\frac{1}{549755813888}$ $\frac{1}{1099511627776}$ $\frac{1}{2199023255552}$ $\frac{1}{4398046511104}$ $\frac{1}{8796093022208}$ $\frac{1}{17592186044416}$ $\frac{1}{35184372088832}$ $\frac{1}{70368744177664}$ $\frac{1}{140737488355328}$ $\frac{1}{281474976710656}$ $\frac{1}{562949953421312}$ $\frac{1}{1125899906842624}$ $\frac{1}{2251799813685248}$ $\frac{1}{4503599627370496}$ $\frac{1}{9007199254740992}$ $\frac{1}{18014398509481984}$ $\frac{1}{36028797018963968}$ $\frac{1}{72057594037927936}$ $\frac{1}{144115188075855872}$ $\frac{1}{288230376151711744}$ $\frac{1}{576460752303423488}$ $\frac{1}{1152921504606846976}$ $\frac{1}{2305843009213693952}$ $\frac{1}{4611686018427387904}$ $\frac{1}{9223372036854775808}$ $\frac{1}{18446744073709551616}$ $\frac{1}{36893488147419103232}$ $\frac{1}{73786976294838206464}$ $\frac{1}{147573952589676412928}$ $\frac{1}{295147905179352825856}$ $\frac{1}{590295810358705651712}$ $\frac{1}{1180591620717411303424}$ $\frac{1}{2361183241434822606848}$ $\frac{1}{4722366482869645213696}$ $\frac{1}{9444732965739290427392}$ $\frac{1}{18889465931478580854784}$ $\frac{1}{37778931862957161709568}$ $\frac{1}{75557863725914323419136}$ $\frac{1}{151115727451828646838272}$ $\frac{1}{302231454903657293676544}$ $\frac{1}{604462909807314587353088}$ $\frac{1}{1208925819614629174706176}$ $\frac{1}{2417851639229258349412352}$ $\frac{1}{4835703278458516698824704}$ $\frac{1}{9671406556917033397649408}$ $\frac{1}{19342813113834066795298816}$ $\frac{1}{38685626227668133590597632}$ $\frac{1}{77371252455336267181195264}$ $\frac{1}{154742504910672534362390528}$ $\frac{1}{309485009821345068724781056}$ $\frac{1}{618970019642690137449562112}$ $\frac{1}{1237940039285380274899124224}$ $\frac{1}{2475880078570760549798248448}$ $\frac{1}{4951760157141521099596496896}$ $\frac{1}{9903520314283042199192993792}$ $\frac{1}{19807040628566084398385987584}$ $\frac{1}{39614081257132168796771975168}$ $\frac{1}{79228162514264337593543950336}$ $\frac{1}{158456325028528675187087900672}$ $\frac{1}{316912650057057350374175801344}$ $\frac{1}{633825300114114700748351602688}$ $\frac{1}{1267650600228229401496703205376}$ $\frac{1}{2535301200456458802993406410752}$ $\frac{1}{5070602400912917605986812821504}$ $\frac{1}{10141204801825835211973625643008}$ $\frac{1}{20282409603651670423947251286016}$ $\frac{1}{40564819207303340847894502572032}$ $\frac{1}{81129638414606681695789005144064}$ $\frac{1}{162259276829213363391578010288128}$ $\frac{1}{324518553658426726783156020576256}$ $\frac{1}{649037107316853453566312041152512}$ $\frac{1}{1298074214633706907132624082305024}$ $\frac{1}{2596148429267413814265248164610048}$ $\frac{1}{5192296858534827628530496329220096}$ $\frac{1}{10384593717069655257060992658440192}$ $\frac{1}{20769187434139310514121985316880384}$ $\frac{1}{41538374868278621028243970633760768}$ $\frac{1}{83076749736557242056487941267521536}$ $\frac{1}{166153499473114484112975882535043072}$ $\frac{1}{332306998946228968225951765070086144}$ $\frac{1}{664613997892457936451903530140172288}$ $\frac{1}{1329227995784915872903807060280344576}$ $\frac{1}{2658455991569831745807614120560689152}$ $\frac{1}{5316911983139663491615228241121378304}$ $\frac{1}{10633823966279326983230456482242756608}$ $\frac{1}{21267647932558653966460912964485513216}$ $\frac{1}{42535295865117307932921825928971026432}$ $\frac{1}{85070591730234615865843651857942052864}$ $\frac{1}{170141183460469231731687303715884105728}$ $\frac{1}{340282366920938463463374607431768211456}$ $\frac{1}{680564733841876926926749214863536422912}$ $\frac{1}{1361129467683753853853498429727072845824}$ $\frac{1}{2722258935367507707706996859454145691648}$ $\frac{1}{5444517870735015415413993718908291383296}$ $\frac{1}{10889035741470030830827987437816582766592}$ $\frac{1}{$



مِسْرَعٌ مِسْرَعٌ يَمُوتُ فِي مِثْلِهِ ٦%



6 يَسْرُوْنَ فَرِحْنَا وَبَرَّرْنَا ۖ يَسْرُوْنَ 6 اَرَرْتُمْ (يَسْرُوْنَ) فَرِحْنَا وَبَرَّرْنَا ۖ يَسْرُوْنَ 6
 (وَسْرُوْنَ)

[illegible]

د شومې دى ترڅو خپل فرمايوسه زده کړاى وکړ او د سترگه ورته راوړ

[illegible]

مَنْ يَتَّقِ اللَّهَ يَجْعَلْ لَهُ مَخْرَجًا
وَيَرْزُقْهُ مِنْ حَيْثُ لَا يَحْتَسِبُ وَمَنْ يَتَّقِ اللَّهَ يَجْعَلْ لَهُ مَخْرَجًا

[illegible][illegible][illegible][illegible]

سولار جہاز

سولار جہازوں کو چلانے کے لیے سولار پینلز کا استعمال کیا جاتا ہے۔
ان پینلز سے پیدا ہونے والی بجلی جہاز کے مختلف حصوں کو چلاتی ہے۔

سولار جہازوں کی رفتار عام طور پر 5 تا 10 گھنٹہ فی گھنٹہ ہوتی ہے۔
ان جہازوں کی قیمتیں بھی عام جہازوں کی قیمتوں کے برابر ہوتی ہیں۔



Table 1: Categories of solar power pack systems

	Power	Minimum requirements
Category 1	Large Size Boats: 400 – 550 W	<p>Flexible PV Panels</p> <p>Charge Controller with DC load output</p> <p>AC Inverter: Minimum 1000w</p> <p>AC Output: 230v 50Hz</p> <p>DC Output: 12V and 24V Auto or Manual select</p> <p>Battery Capacity: 5kwh</p> <p>Output Voltage: 12v/ 24v (Auto switch)</p> <p>6sqmm x 15m flexible cables and connection accessories</p>
Category 2	Medium Size Boats: 300 - 400W	<p>Flexible PV Panels</p> <p>Charge Controller with DC load output</p> <p>AC Inverter: Minimum 1000w</p> <p>AC Output: 230v 50Hz</p> <p>DC Output: 12V and 24V Auto or Manual select</p> <p>Battery Capacity: 3kwh</p> <p>Output Voltage: 12v/ 24v (Auto switch)</p> <p>6sqmm x 15m flexible cables and connection accessories</p>
Category 3	Small Size Boats: 150 - 300W	<p>Flexible PV Panels</p> <p>Charge Controller with DC load output</p> <p>AC Inverter: Minimum 1000w</p> <p>AC Output: 230v 50Hz</p> <p>DC Output: 12V and 24V Auto or Manual select</p> <p>Battery Capacity: 3kwh</p> <p>Output Voltage: 12v/ 24v (Auto switch)</p> <p>6sqmm x 15m flexible cables and connection accessories</p>


سولار پاور پیک سسٹمز

دستورالعمل
نصب و راه اندازی
سیستم سولار پاور پیک

Table 2: Description of the minimum design conditions and requirements.

Component	Specifications
Marine Grade Solar Panel	<p>The solar panel shall be designed for use in marine environment. The panels shall be flexible and flexing up to minimum of 30 degrees to install on slightly bent areas in a way that the panel will be touching the roof/deck surface as much as possible to minimize the air resistance. The manufacturer shall be in the business for minimum of 3 years.</p> <ul style="list-style-type: none"> • Minimum Solar Cell Efficiency: minimum 19% • Nominal Power at STC: 170Wp to 200Wp • Power Tolerance: < +/- 3% • Voltage at Maximum power Point: <30V • Open Circuit Voltage: <35V • Product Warranty: Minimum 10 years performance warranty • Grommets: 316 Stainless steel • Lead cables: 4sqmm cables with MC4 quick connectors suitable for marine environment
Solar Charge Controller	<ul style="list-style-type: none"> • The device should have wireless connection to android/apple devices to configure the device and to monitor the device from time to time (real time data and history) • Ultrafast Maximum Power Point Tracking • Load output with over discharge protection • Configurable Intelligent Battery Management Algorithm to manage the battery life • Maximum PV Open Circuit Voltage: 75V
	<ul style="list-style-type: none"> • Minimum Rated Charging Current: 15A • Battery Voltage: 12V/24V (Auto Select) • Protection: Battery Reverse Polarity / Output Short Circuit / Over Temperature • Efficiency: minimum 95%
Battery	<ul style="list-style-type: none"> • 12V, 140Ah AGM Battery, Sealed Maintenance Free Battery • Float Charging Voltage: 3.5 Vdc to 13.8 Vdc • Designed for high-power density applications • Absorbed glass mat (AGM) design • High discharge efficiency • Minimum 250 cycles at 100% discharge • Low self-discharge • Shall comply with IEC 60896, DIN 473534 • One Year Replacement Warranty

سَوَح خَرِيصَ تَحْسِرِ سَوَح



دَسَوَحِ سَوَحِ رَايَتَمَوَسَاوَرِ رَايَتَمَوَسَاوَرِ قُوَدَرِ تَحْسِرِ - تَحْسِرِ سَوَحِ
رَايَتَمَوَسَاوَرِ

دَسَوَحِ سَوَحِ رَايَتَمَوَسَاوَرِ رَايَتَمَوَسَاوَرِ سَوَحِ سَوَحِ رَايَتَمَوَسَاوَرِ رَايَتَمَوَسَاوَرِ



رَايَتَمَوَسَاوَرِ رَايَتَمَوَسَاوَرِ سَوَحِ سَوَحِ رَايَتَمَوَسَاوَرِ

رَايَتَمَوَسَاوَرِ رَايَتَمَوَسَاوَرِ رَايَتَمَوَسَاوَرِ رَايَتَمَوَسَاوَرِ
رَايَتَمَوَسَاوَرِ رَايَتَمَوَسَاوَرِ رَايَتَمَوَسَاوَرِ

سەرساڭا

دۇنئەنىڭ ئۈستىدە يۈرۈشكە بولىدىغان بىر خىل سەرساڭا بار.
ئۇنىڭ ئۈستىدە سەرساڭا سۈپىتىدە ئىشلىتىشكە بولىدۇ.

بۇ سەرساڭا ئۈستىدە ئىشلىتىشكە بولىدۇ، ئۇنىڭ ئۈستىدە ئىشلىتىشكە بولىدۇ.

بۇ سەرساڭا ئۈستىدە ئىشلىتىشكە بولىدۇ، ئۇنىڭ ئۈستىدە ئىشلىتىشكە بولىدۇ.
بۇ سەرساڭا ئۈستىدە ئىشلىتىشكە بولىدۇ، ئۇنىڭ ئۈستىدە ئىشلىتىشكە بولىدۇ.

